

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it **MUST** be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Keith Van Duyne Reg. No. 54505 on June 25, 2010.

The application has been amended as follows: changed the dependency of claim 24 (see attached amendment provided by attorney or record).

Information Disclosure Statement

2. The references listed in the information disclosure statement submitted on 2-16-2010 have been considered by the examiner (see attached PTO-1449).

Drawings

3. The drawings were received on 5-11-2010. These drawings are acceptable.

Conclusion

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Shelly A. Chase whose telephone number is 571-272-3816. The examiner can normally be reached on Mon-Fri from 8:00 am to 5:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Scott Baderman can be reached on 571-272-3644. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Shelly A Chase/
Primary Examiner, Art Unit 2112